# DNA methylation at di erentially methylated regions of imprinted genes is resistant to developmental programming by maternal nutrition

 $\frac{1}{r} = \frac{2}{r_{1}} + \frac{2}{r_{1}} + \frac{2}{r_{1}} + \frac{2}{r_{1}} + \frac{2}{r_{1}} + \frac{1}{r_{1}} + \frac{2}{r_{1}} + \frac{1}{r_{1}} + \frac{1}$ 



### Introduction

(Fig. 2) Gnas (\* 1A Nespas/Gnasxl), Grb10 \* Kcnq1ot1



 $(Table 1) \\ (Table 1) \\ (Tab$ 

#### Discussion

8
1
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8</t

\* \* . . \* \* . . \* . \* . \* \* .\* \* \* . 1 \* \*. . \*. ŧ . \* Grb10 \* \_ ₹ . . . \*\* ., Grb10 \* . 5 1. 1. 1. 1. 1. 1. \* . . . . . . . . . \* C A C A C \* \* . . . . Grb10



F Grb10 \_ . 4. \_ 1 ( ) 12 -, ( I ) . • ---0.0 \* 1

Grb10 ŧ . \* \* 6 . × \* \* -Gnaş α, , ., ۴. Gnaş \* \* 4